


TECHNICAL STANDARDS for cyclic corrosion.

ASTM D5894
ASTM G85
BMW PA-P-029
FORD CETP: 00.00-L-467
FORD TM 00.00-L-467
GMW 14872
Honda CCT
Honda Structural
IEC 60068-2-52
ISO 11997-1 and 2
ISO 12944
ISO 12944
ISO 16701
ISO 19453-4
JAGUAR TPJLR.52.252
JAGUAR TPJLR.52.265
JAGUAR TPJLR.52.554
JOHN DEERE JDQ 178
MERCEDES BENZ MBN 10518
MIL STD 810D Method 509.2
MIL STD 883 Method 1009.5
NISSAN CCT I,II,IV
RENAULT D 17 2028 C
RTCA/DO-160E
SAE J2334
SCANIA STD 4233
SCANIA STD 4319
SCANIA STD 4445
TESLA TP0000808
TOYOTA TSH 1555G
VDA 232-102
VDA 621-415
VOLVO STD 1027,1375
VOLVO STD 1027,14
VOLVO STD 423-0014
VW PV1209
VW PV1210
YAMAHA YGK-8-501

	Serie W.C.C.T CORR AUTO				
	CCT CORR AUTO 15-450	CCT CORR AUTO 28-810	CCT CORR AUTO 45-1200	CCT CORR AUTO 110-3100	CCT CORR AUTO 135-4000
I.D. (w x d x h)					
Inches	32.3" x 25.6" x 30.7"	46.9" x 32.8" x 32.7"	59." x 35.4" x 35.4"	98.4" x 49.2" x 39.0"	122" x 49.2" x 39.0"
mm	820 x 650 x 780	1,190 x 820 x 830	1,500 x 900 x 900	2,500 x 1,250 x 991	3,100 x 1,250 x 991
Lid not included.					
Internal Volume Included lid.					
Cu.Ö	14.7	28.6	42.9	109.4	135
Liters	415	810	1,200	3,097	3,840

Note: The CCT CORR AUTO series chambers are designed as monoblock, meaning the solution tank and Bobble Tower (Saturator) are in a single unit.

Illustration photo C.C.T. CORR AUTO 45-1200



	Serie W.C.C.T CORR AUTO				
	14-500	18-700	40-15000	55-20000	77-30000
I.D. (w x d x h):					
Inches	78.7" x 78.7 x 98.4"	118.1" x 78.7" x 98.4"	137.8" x 137.8" x 98.4"	196.9" x 137.8" 98.4"	275.6" x 137.8" x 98.4"
mm	(2,000 x 2,000 x 2,500)	(3,000 x 2,000 x 2,500)	(3,500 x 3,500 x 2,500)	(5,000 x 3,500 x 2,500)	(7,000 x 3,500 x 2,500)
Lid not included					
Door clearance:					
Inches	59.0" x 82.6"	59.0" x 82.6"	118.1" x 83.8"	118.1" x 83.8"	118.1" x 83.8"
mm	1,500 x 2,100	1,500 x 2,100	3,000 x 2,130	3,000 x 2,130	3,000 x 2,130
Internal Volume Included lid:					
Cu.Ö	494.4	642.7	1,412	1,942	2,719
M³	14	18.2	40	55	77

Walk-In CCT CORR AUTO Dimension :Abovearesomeexempldimensions. The construcΘon is panelized, so custom dimensions arepossible.

IllustraΘve photo W.C.C.T CORR AUTO 14-500

